MISSISSIPPI STATE DEPARTMENT OF HEALTH 26 PM 2: 12
BUREAU OF PUBLIC WATER SUPPLY
CCR CERTIFICATION
CALENDAR YEAR 2013

None list PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public was system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to t customers upon request. Make sure you follow the proper procedures when distributing the CCR. You must mail, fax email a copy of the CCR and Certification to MSDH. Please check all boxes that apply.
Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
Advertisement in local paper (attach copy of advertisement) On water bills (attach copy of bill) Email message (MUST Email the message to the address below) Other
Date(s) customers were informed: 0/6/26 2014/
CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct deliver methods used
Date Mailed/Distributed: 10 / 10 / 10 / 10 / 10 / 10 / 10 / 10
CCR was distributed by Email (MUST Email MSDH a copy) As a URL (Provide URL As an attachment As text within the body of the email message
CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper: The Madison County Herald
Date Published: 06 /26 /2014
CCR was posted in public places. (Attach list of locations) Date Posted: / /
CCR was posted on a publicly accessible internet site at the following address (DIRECT URL REQUIRED):
CERTIFICATION I hereby certify that the 2013 Consumer Confidence Report (CCR) has been distributed to the customers of this public water system in the form and manner identified above and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply. Author Manuel Manager Name/Title (President, Mayor, Owner, etc.) Date

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be faxed to: (601)576-7800

May be emailed to: Melanie, Yanklowski@msdh.state.ms.us

2013 Annual Drinking Water Quality Report RECEIVED-WATER SUPPLY East Madison Water Association, Inc. PWS ID#: 0450007 June 2014

2014 AUG 26 AM 8: 38

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Meridian Upper Wilcox and Cockfield Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the East Madison Water Association have received lower susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Audrey Mauldin at 601,859,2810. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Saturday of each March at 10:00 AM at the Chancery Clerk Building, County Supervisor Board Room.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2013. In cases where monitoring wasn't required in 2013. the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming, pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

				TEST R	ESUL 1	ΓS			
Contaminant	Violatio n Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Cont	amination
Microbiolo	gical (Contami	nants						
1. Total Coliform Bacteria	Y	October	Positive	•	NA		0	presence of coliform bacteria in 5% of monthly samples	Naturally present in the environmen
Radioactiv	e Cont	aminan	ts						
5. Gross Alpha	N	2013	1.5	1 – 1.5	pCi/	L	0	15	Erosion of natural deposits

Inorganic	Cont	aminant	S					
10. Barium	N	2012*	.015	.005015	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2011/13	.2	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride**	N	2012*	1.02	.935 – 1.02	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2011/13	2	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Volatile O	rgani	c Contar	ninant	S				
56. Carbon tetrachloride	N	2013	1.26	No Range	ppb	0	5	Discharge from chemical plants and other industrial activities
76. Xylenes	N	2013	1.52	No Range	ppm	10	10	Discharge from petroleum factories; discharge from chemical factories
Disinfectio	n By-	Product	S					
81. HAA5	N	2013	103	50 - 103	ppb	0		By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2013	145	48.5 - 145	ppb	0	1	By-product of drinking water chlorination.
Chlorine	N	2013	2	.4 – 3.4	mg/l	0	MDRL =	4 Water additive used to control microbes

^{*} Most recent sample. No sample required for 2013.

Microbiological Contaminants:

- (1) Total Coliform. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

 Disinfection By-Products:
- (81) Haloacetic Acids (HAA5). Some people who drink water containing bromate in excess of the MCL over many years may have an increased risk of cancer (82) Total Trihalomethanes (TTHMs). Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

We routinely monitor for the presence of drinking water contaminants. Testing results we received show that our system exceeded the standard, or maximum contaminate level (MCL) for Disinfection Byproducts in 2013. The standard for Haloacetic Acids (HAA5) is .060mg/l. standard for Trihalomethanes (TTHM) is .080 mg/l. We are working with the MSDH to evaluate the water supply and researching options to correct the problem.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the EAST MADISON WATER ASSN-WEST is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 12. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 92%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The East Madison Water Association, Inc. works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

^{**} Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.



PROOF OF PUBLICATION THE STATE OF MISSISSIPPI MADISON COUNTY

PASTE PROOF HERE

C29403 EAST MADISON WATER - LEGALS, 0200467326 2013 Water Report PERSONALLY appeared before me, the undersigned notary public in and for Madison County, Mississippi,

BEVERLY BENNETT

an authorized clerk of the MADISON COUNTY HERALD, a newspaper as defined and prescribed in Sections 13-3-31 and 13-3-32, of the Mississippi Code of 1972, as amended, who, being duly sworn, states that the notice, a true copy of which is hereto attached, appeared in the issues of said newspaper as follows:

6/26/2014

Size: 6 words / 6.00 col. x 1.00 lines

Published: 1 time(s)

Total: \$212.62

Signed Authorized Clerk of

The Madison County Herald

SWORN to and subscribed before me on 6/26/2014.

Notary Public

RICK TYLER

Notary Public State of Mississippi at Large. Bonded thru Notary Public Underwriters

(SEAL)



* 28% AUG 26 AM 學 製

THURSDAY, JUNE 26, 2014 » THE MADISON COUNTY HERALD » 7A

2013 Annual Drinking Water Quality Report East Madison Water Association, Inc. PWS ID#: 0450007 June 2014

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to Inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of divinking water. We want you to understand the efforts we make to continually improve the vester resentance (Your encountered process can depressed on the resources. We are continually improve the vester resources was and protect our water resources. We are continually improve the vester resources was and protect our water resources. We are

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to bertily potential sources of contamination. A report containing detailed information on how the eucooptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The waits for the East Madison Water Association have received lower susceptibility rationings to contamination.

If you have any questions about this report or concerning your water utility, please contact Audrey Mauktin at 601.859.2910. We want our valued outsomen to be informed about their water utility. If you want to learn more, please attend any of our regularly acheduled meetings. They are held on the second Solutiony of each Mart at 10.00 AM at the Channey Clerk (Madding, County Spenylver) foods (Papers) and the control of the Channey Clerk (Madding, County Spenylver) foods (Papers) and the control of the Channey Clerk (Madding, County Spenylver) foods (Papers) and the control of the Channey Clerk (Madding, County Spenylver) foods (Papers) and the control of the Channey Clerk (Madding, County Spenylver) foods (Papers) and the Channey Clerk (Madding, County Spenylver) for the Channey Clerk

ting are jied on the second sharitaty of each Mattra at 10,00 AM at the Chancery Clerk Budding, County Supervised Board Room.

We inclinely immotite for considuration in your drinking water according to Federal and State leave. This table below it issue of the drinking value constantiants that were delected during the portion of January 11 to Extended 311*, 2013. In cases were mensioning water required more constantiants that were delected during the portion of January 11 to Extended 311*, 2013. In cases were mensioning water required more constantiants from the presence of the second second place of the second second

In this table you will find many terms and abbreviations you might not be femilier with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, higgers treatment or other requirements which a water system must follow

Maximum Contaminant Level (MCL) - The "Meximum Allowed" (MCL) is the highest level of a contaminant that is allow "MCLs are set as close to the MCLGs as feasible using the best aveilable treatment technology,

laximum Contentinant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known expected tak to health. MCLGs allow for a margin of safety.

Maximum Residual Otsinfectant Level (MROL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contembration.

Maximum Residual Disinfectant Level Good (MRDLG) - The level of a drinking water disinfectant below which there is no known or e risk of health, MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants

Parts per million (opin) or Milligrams per liter (mgd) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000

				TEST R	ESUL!	12			
Contiguinari	Violatio n Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unil Maasure -ment	MCLG	MCL	Likely Source of Con	amination
Microbiolo	gical (Contam	inants						
1 Total Conform Bacteria	Y	October	Positive		NA		0	presence of colform becteris in 6% of monthly complex	
Radioactiv	е Соп	aminan	ts						
5. Gross Alpha	N	2013	1.5	1-15	pC	A.	0	15	Erceion of natura

Inorganic	Cont	aminants	8							
10 Barkim	N	2012*	.015	.005015	ppm	3		Discharge of drilling wastes; discharge from metal refineries; erosion of resture deposits		
14. Copper	н	2011/13	2	0	ppm	1.3	AL=1.3	Corresion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives.		
18 Fluoride**	N	2012*	1.02	935 - 1.02	ppm	24		Eroslon of natural deposits; water additive which promotes strong teeth discharge from fertilizer and sluminur factories		
17 Lead	N	2011/13	2	0	ppo	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits		
Volatile O	gani	e Contar	ninant	9						
56 Ceroon tetrechloride	N	2013	1.26	No Range	ppō	0	5	Discharge from chemical plants and other industrial activities		
78 Xylenes	N	2013	1,52	No Range	ppm	10	10	Discharge from petroleum factories; discharge from chemical factories		
Disinfectio	n By	Product	s							
81. HAA5	N	2013	103	50 - 103	ppb	0		60 By-Product of drinking water distriction		
62 TTHM [Total tribulomethunes]	н	2013	145	48.5 - 145	ppb	0		80 By-product of drinking water chlorination.		
Chlorine	N	2013	2	. 4-34	mg/l	0	MORL	Water additive used to control		

Microbiological Contembraists:

(1) Total Collibera. Collibera are bestinis that are naturally present in the covironment and are used as an indicator dust other, potentially-harmful, besteria may be present Collibera were found in more samples than allowed seed this was a version of potential problem.

Colliphorator By-Frenkers.

(2) Total Toldundsmitters (TT106). Some people who drink water containing hormatic in cases of the MCL over many years may have an locerased risk of curves (1) Total Toldundsmitters (TT106). Some people who drink water constaining inholentednates in cases of the MCL over many years may have an locerased risk of curves with the little of the MCL over many years may have an locerased risk of curves.

We noutlinely member for the presence of diriking water contaminants. Testing results we received show that our system exceeded the standard, or maximum contaminate level (MAC), for Distriction Oppositudes in 2013. The standard for Histopoetic Acids (HAAS) is 200mpt, standard for Histopoetic Acids (HAAS) is 200mpt, standard for Frishopetianes (ETNIA) is 3.00 mg/l. We are working whith the MSSOH is enablasted to explain supply and researching options to

If present, elevisted levels of lead can cause serious health problems, succisity for pregnent without and young children Lead is dinning water is primary from materials and components associated with service fines and home plumbing. Our Water Association is responsible for privating high quality dishing water, but cannot control the validity and plumbing components. When you water has been sating for exercis hours, you can exceed control the validity of the plumbing operated with service has been sating for exercis hours, you can exceed the problems of plumbing your tap for 50 seconds to 2 minutes before using water sating for exercising the exercising the problems of the plumbing point of the 50 seconds to 2 minutes before using water for the problems of the problems of the plumbing point plumbing the problems of the plumbing problems of the plumbing point plumbing the plumbing problems of the plumbing pro

imply with the "Regulation Governing Fluoristation of Community Water Supplier", the EAST MADISON WATER ASSN-WEST is required point certain results portaining to Buoristation of our water system. The number of months in the previous calendar year that reverage the sacrigic results were within the optimal range of 0.7-1.3 ppm was 12. The percentage of fluoride samples collected in the previous der year that was within the optimal range of 0.7-1.3 ppm was 92%.

All sources of diriking water are subject to potential contamination by substances that are returnity occurring or man made. These substances no microbes, inorganic or organic chemicals and esitosoctive substances. All diriking water, including bottled water, may reasonably repreted to contain all least small amounts of some containvances. The presence of contamination soon of mocessary invested that the way poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protect Agency's Sale Drinking Water Indicate at 1-000-42-4791.

ID-WATER SUP

G 26 AM 8: :

undersigned no

JNTY HERALD. Sections 13-3-3 972, as amende ice, a true copy issues of said

rett

/26/2014

Bonded thru

^{*} Most recent sample. No sample required for 2013.
** Fluoride level is routinely adjusted to the ASS Stote U s. ote Dept of Health's recommended level of 0.7 - 1.3 mg/l.